trend [®] routing technology	LAPPING FLUID Safety Data Sheet according to Regulation (EC) N	lo. 453/2010	LEAF/HS/DWSLF
Date of issue: 28/05/2015	Revision date: 28/05/2015	Replaces version 5.1 dated: 27/5/2009	Version:6.0
SECTION 1: Identification of the substance/mixture	and of the company/undertaki	ng	
1.1. Product identifier			
Product form Product name Product code Formulation Chemical family	: Mixture : Diamond Abrasive Lapping fl : DWS/LF/10, DWS/LF/250, D' : 990-140/2 : Petroleum Distillates		
1.2. Relevant identified uses of the substance or mit 1.2.1. Relevant identified uses	xture and uses advised agains	t	
Industrial/Professional use spec	: Industrial grinding and polish	ing	
1.2.2. Uses advised against No additional information available.			
1.3. Details of the supplier of the safety data sheet			
Trend Machinery & Cutting Tools Ltd Unit 6 Odhams Trading Estate St. Albans Road Watford Herts United Kingdom			
T 0044 1923 249911 F 0044 1923 236879			
technical@trendm.co.uk	www.trend-uk.com		
1.4. Emergency telephone number Emergency number	: 0800 132052	Engis UK Ltd	
SECTION 2: Hazards identification			
2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 127 Aspiration Toxicant - Category 1	2/2008 [CLP/GHS] H304		
Full text of H-phrases: see section 16			
Classification according to Directive 67/548/EEC or Xn; Harmful: R65, R66	1999/45/EC		
Full text of R-phrases: see section 16			
Adverse physicochemical, human health and enviro No additional information available	onmental effects		
2.2. Label elements Labelling according to Regulation (EC) No. 1272/200 Hazard pictograms (CLP)	08 [CLP]		
Signal word (CLP)	GHS08 : Danger		
Hazardous ingredients Hazard statements (CLP)	: Isoparaffinic Hydrocarbon : H304 - May be fatal if swallov		
Precautionary statements (CLP)	 EUH066 - Repeated exposur P101 - If medical advice is ne P102 - Keep out of reach of of P103 - Read label before use P210 - Keep away from flame P280 - Wear protective glove P301 + P310 - IF SWALLOW doctor/physician. P331 - Do NOT induce vomit P370 + P378 - In case of fire dioxide (CO2) for extinction. P271 - Use only outdoors or 	eeded, have product con children. es and hot surfaces - No s, eye/face protection. /ED: Immediately call a f ing. : use water fog, foam, dr	tainer or label at hand smoking. POISON CENTER or y chemical or carbon



LAPPING FLUID

Safety Data Sheet according to Regulation (EC) No. 453/2010

LEAF/HS/DWSLF

: P501 - Dispose of contents/container in a safe manner in accordance with local, regional, national and/or international regulation.

2.3. Other hazards

Repeated contact may cause mild skin and eye irrittation.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixture

Name	Product identifier	%	Classification according to Directive 67/548/EEC
Isoparaffinic Hydrocarbon	(CAS No) 64742-47-8 (EC no) 265-149-8 (EC index no)	40 - 70	Xn; R65
Isoparaffinic Hydrocarbon	(CAS No) 64742-48-9 (EC no) 265-150-3 (EC index no)	20 - 50	Xn; R65

Name	Product identifier		Classification according to Regulation (EC) No. 1272/2008 [CLP]
Isoparaffinic Hydrocarbon	(CAS No) 64742-47-8 (EC no) 265-149-8 (EC index no)	40 - 70	Asp. Tox - Cat.1 H304
Isoparaffinic Hydrocarbon	(CAS No) 64742-48-9 (EC no) 265-150-3 (EC index no)	20 - 50	Asp. Tox - Cat.1 H304

Full text of R- and H-phrases: see section 16

3.3. Additional information

See section 8 for Workplace Exposure Limits (WEL)

Classification according 67/548/EEC

Xn: R65 - Harmful: may cause lung damage if swallowed. (Isoparaffinic hydrocarbon)

Xn: R66 - Repeated exposure may cause skin dryness or cracking. (Isoparaffinic hydrocarbon)

SECTION 4: First aid measures

4.1. Description of first aid measures			
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).		
First-aid measures after inhalation	: Remove individual to fresh air. If breathing is difficult, administer oxygen and seek medial attention.		
First-aid measures after skin contact	: Wash thoroughly with soap and water. Remove contaminated clothing and launder before re-use.		
First-aid measures after eye contact	: Flush throroughly with water until irritation susides. Lifting upper and lower lids to facilitate cleansing. If irrittation persists seek medical attention.		
First-aid measures after ingestion	: Do NOT induce vomiting. Keep person at rest. Immediately call a POISON CENTER or doctor/physician.		
4.2. Most important symptoms and effects, both acute and delayed			
Symptoms/injuries	: Prolonged and repeated exposure my cause skin and eye irritation.		
4.3. Indication of any immediate medical attention and special treatment needed			
No additional information available			

protect personnel attempting to stop any leakage. Extinguish the dry chemical or carbon dioxide.	5: Firefighting measures	
protect personnel attempting to stop any leakage. Extinguish the dry chemical or carbon dioxide.	uishing media	
	linguishing media	: Use water spray to cool surfaces exposed to fire to disperse vapors and to protect personnel attempting to stop any leakage. Extinguish the fire with fom dry chamical or carbon diavide.
Unsuitable extinguishing media : No additional information available.	extinguishing media	: No additional information available.

5.2. Special hazards arising from the substance or mixture

trend [®] routing technology	LAPPING FLUID Safety Data Sheet according to Regulation (EC	e) No. 453/2010	LEAF/HS/DWSLF
Hazardous decomposition products	: Carbon monoxide, carbon	dioxide, varous oxide	s of carbon.
5.3. Advice for firefighters Firefighting instructions Protection during firefighting	: Use water spray or fog for fighting any chemical fire. environment. : Wear self-contained breat	Avoid (reject) fire-fight	C C
5.4. Additional information No additional information available			
SECTION 6: Accidental release measures			
6.1. Personal precautions, protective equipme	nt and emergency procedures		
6.1.1. For non-emergency personnel Emergency procedures	: Evacuate unnecessary pe without further hazard.	rsonnel. If possible, sh	ut off source of release
6.1.2. For emergency responders Protective equipment Emergency procedures	: Equip cleanup crew with p : Ventilate area.	proper protection.	
6.2. Environmental precautions Prevent liquid from entering sewers, water course contaminated soild.	s or low areas. Notify authorities if I	iquid enters sewers or	public waters or has
6.3. Methods and material for containment and Methods for cleaning up		er for disposal. Consul	
6.4. Reference to other sections See Section 8. Exposure controls and personal pr	otection.		
SECTION 7: Handling and storage			
7.1. Precautions for safe handling			
Precautions for safe handling		g and when leaving wo formation of vapour. L	ork. Provide good ventilation Jse only outdoors or in a well
Hygiene measures	: Do no eat, drink or smoke other exposed areas with smoking and when leaving	mild soap and water b	
Electrostatic accumulation hazard	: Not applicable		
7.2. Conditions for safe storage, including any			
Technical measures Storage conditions	: Keep only in the original c	 Comply with applicable regulations. Keep only in the original container in a cool, well ventilated place away. Keep container closed when not in use. Store and transport at ambient. Storage at atmospheric process. 	
Incompatible products	: Strong oxidising agents (a	 Strong oxidising agents (acids). Testing for compatibility with specific plastic materials is recommended. 	
Incompatible materials Compatible materials	: No data available : Glass, carbon steel, stainl	ess steel, polyetheyler	ne, polypropylene, polyester
7.3. Specific end use(s) No additional information available			
SECTION 8: Exposure controls/personal prote	ction		
8.1. Control parameters			
soparaffinic Hydrocarbon 64742-47-8, 64742-4			
United Kingdom (EH40) United Kingdom (EH40)	WEL TWA (mg/m ³)	1200 mg/m ³	recorbone (Manor)

United Kingdom (EH40)	WEL TWA (mg/m ³)	1200 mg/m ³
United Kingdom (EH40)	WEL TWA (ppm)	171 ppm total hydrocarbons (Vapor)
		No data available
	PNEC values	No data available



LAPPING FLUID

Safety Data Sheet

according to Regulation (EC) No. 453/2010

8.2. Exposure controls

Personal protective equipment:

Hand protection Eye protection Skin and body protection Respiratory protection

- : Avoid all unnecessary exposure. Gloves. Protective glasses. Protective clothing.
- : Wear protective gloves.
- : Safety glasses

Thin liquid. Colourless Odourless No data available No data available Slower than water No data available No data available 376-483°F (191-251°C) 144° F (63°C) 640° F (338° C) No data available Non flammable No data available No data available Heavier than air 1062 g/l Dispersable

- : Protective clothing
- : No protection is ordinarily required under normal conditions of use and with adequate ventilation. If engineering controls do not maintain airborne contaminant concentrations at a level which is adequate to protect worker heath, an approved respirator may be appropriate.



Other information

: Do not eat or drink during use

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical pro	perties
Physical state	: Liquid

9.1. Information on basic physical and chem
Physical state
Appearance
Colour
Odour
Odour threshold
pH
Evaporation rate
Melting point
Freezing point
Boiling point
Flash point (ASTM D56)
Self ignition temperature
Decomposition temperature
Flammability (solid, gas)
Vapour pressure
Relative vapour density at 20 °C
Relative density
Density
Solubility in water
Percent volatile
Viscosity
Explosive properties
Oxidising properties
Explosive limits
Specific gravity
Partition co-efficient

>90% 4-5 cPs No data available No data available No data available 0.8 gm/cc

: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available

10.2. Chemical stability

Stable at normal temperatures and pressures

10.3. Possibility of hazardous reactions

Not reactive at normal temperatures and pressures

10.4. Conditions to avoid

Storage temperatures above melting temperature

10.5. Incompatible materials

Strong oxidising agents (acids)

10.6. Hazardous decomposition products

Material does not decompose at ambient temperatures



LAPPING FLUID

Safety Data Sheet according to Regulation (EC) No. 453/2010

LEAF/HS/DWSLF

SECTION 11: Toxicological information	
11.1. Information on toxicological effects	
Acute toxicity	: No data available
Irritation	: No data available
Corrosivity	: No data available
Sensitization	: No data available
Repeated dose toxicity	: No data available
Carcinogencity	: No ingredient of this product is listed as a carcinogen by the International
<u> </u>	Agency for Reseacrh on Cancer, the National Toxicilogy Program, or the
Mutagenicity	Occupational Safety and Heath Administration (USA). : No data available
Toxicity for reproduction	: No data available
Risk of aspiration toxicity	: May be fatal is swallowed and enters airways. Based on physico-chemcial properties of the materials.
STOT-single exposure	: No data available
STOT- repeated exposure	: No data available
CMR Assessment	
Target organ effects	: Overexposure to the components of this product has been suggested as a
	cause of kidney damage in laboratiy animals.
Development information	: No data available
Cancer information	: No data available
11.2. Other information	
No data available	
SECTION 12: Ecological information	
-	
12.1. Toxicity No data available	
12.2. Persistence and degradability No data available	
No data avallable	
12.3. Bioaccumulative potential	
No data available	
12.4. Mobility in soil	
No data available	
12.5. Results of PBT and vPvB assessment	
No data available	
12.6. Other adverse effects No data available	
SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
Waste disposal recommendations	 Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to Dispose in a safe manner in accordance with local/national regulations.
Ecology - waste materials	: Avoid release to the environment.
CECTION 14. Tromonout information	
SECTION 14: Transport information In accordance with ADR / RID / IMDG / IATA	
14.1. UN number	
UN-No	: Not applicable
UN-No.(IATA)	: Not applicable
UN-No. (IMDG)	: Not applicable
14.2. UN proper shipping name	
Proper Shipping Name	: Not dangerous goods
14.3. Transport hazard class(es)	
Class (UN)	: Not applicable
Class (IATA)	: Not applicable
Class (IMDG)	: Not applicable
Hazard labels (UN)	: Not applicable
	. Not applicable
14.4. Packing group	

14.4. Packing group Packing group (UN)

: Not applicable

trend [®] routing technology	LAPPING FLUID Safety Data Sheet according to Regulation (EC) No. 453/2010	LEAF/HS/DWSLF
14.5. Environmental hazards		
Dangerous for the environment	: No	
Marine pollutant	: No	
Other information	: No	
14.6. Special precautions for user 14.6.1. Overland transport No data available		
1460 Trepenert by eac		
14.6.2. Transport by sea No data available		
14.6.3. Air transport		
No data available		
14.7. Transport in bulk according to Annex II of M No data available	IARPOL 73/78 and the IBC Code	
SECTION 15 : Regulatory information		
• ;	s/legislation specific for the substance or mixture	
This safety datasheet complies with the requirements		
45.4.0 National regulations		
15.1.2. National regulations No additional information available		
15.2. Chemical safety assessment		
No chemical safety assessment has been carried out	t.	
SECTION 16: Other information		
User notes	: Sections revised 1 to 16	
User notes	Revision due to change in regulations	
Data sources	: REGULATION (EC) No 1272/2008 OF THE EUR	OPEAN PARLIAMENT AND
	OF THE COUNCIL of 16 December 2008 on clas	
	packaging of substances and mixtures, amending	
	67/548/EEC and 1999/45/EC, and amending Red	gulation (EC) No 1907/2006.
Other information	: Suppliers own data sheet (Engis UK Ltd), issued	24/09/2013, revision 2.0.
	previous revision date 23/03/2009	
Trend SDS reference	: LEAF/HS/DWSLF	
Full toxt of D H and FLUL abragas		
Full text of R-, H- and EUH-phrases:	May be fatal if swallowed and enters airways - As	niration toxicant Category 1
EUH0066	Repeated exposure may cause skin dryness or c	
R65	Harmful: may cause lung damage if swallowed	
R66	Repeated exposure may cause sking dryness or	cracking
Asp. Tox. 1	Aspiration hazard, Category 1	- ··· 3
Xn	Harmful	

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.